Current Listing f Claims

Claim 1 (previously amended): A compound of the formula (I)

$$R_{5}$$
 R_{5}
 R_{5}
 R_{4}
 R_{3}
 R_{4}
 R_{5}

wherein:

 Ar_1 is carbocycle substituted with one R_1 , and wherein Ar_1 is independently substituted with two R_2 groups;

$$R_1$$
 is NO_2 , $-N(R^c)_2$, $J-C(O)-N(R^c)-$ or $J-S(O)_m-N(R^c)-$

m is 0,1 or 2

and wherein R^c is chosen from hydrogen or C1-5 alkyl;

J is chosen from C1-10 alkyl and carbocycle each optionally substituted by R^b;

R₂ is chosen from C1-6 alkyl or C3-7 cycloalkyl which may optionally be partially or fully halogenated, C1-4 acyl, aroyl, C1-4 alkoxy, which may optionally be partially or fully halogenated, halogen, C1-6 alkoxycarbonyl, carbocyclesulfonyl and -SO₂-CF₃;

R₃, R₄, R₆, R₇ and R₈ are each independently chosen from hydrogen, halogen, C1-5 alkyl, C1-5 alkoxy, C1-5 alkylC1-5 alkoxy, hydroxy, hydroxy C1-5 alkyl or amino optionally mono- or di-substituted by C1-5 alkyl, aryl or aryl C1-5 alkyl;

 R_5 is chosen from a bond, -O-, -S-, -N<, -NH-, C(O), a linear chain chosen from -NH(CR₇R₈)_n-, -(CR₇R₈)_n-, -O(CR₇R₈)_n-, -C(O)-O(CR₇R₈)_n-, -S(CR₇R₈)_n-, C(O)(CR₇R₈)_n- and -C(O)NH(CR₇R₈)_n-, wherein n is 1-5 and each of the aforementioned R_5 is further substituted by R_5^a .

or R_5 is aryl optionally substituted by R_5^a :

R^a and R^b are each independently chosen from hydrogen, C1-5 alkyl, hydroxyC1-5 alkyl, C2-5 alkenyl, C2-5 alkynyl, carbocycle, C1-5 alkoxy, C1-5 alkylthio, amino, C1-5 alkylamino, C1-5 dialkylamino, C1-5 acyl, C1-5 alkoxycarbonyl, C1-5 acyloxy, C1-5 acylamino, each of the aforementioned are optionally partially or fully halogenated, or R^a and R^b are chosen from C1-5 alkylsulphonylamino, hydroxy, oxo, halogen, nitro and nitrile, and

each X is independently O or S or the pharmaceutically acceptable salts, acids, esters or isomers thereof.

Claim 2 (previously amended): The compound according to claim 1 wherein:

J is chosen from C1-10 alkyl, aryl or C3-7 cycloalkyl each optionally substituted by Rb;

R₂ is independently chosen from C1-6 alkyl which may optionally be partially or fully halogenated, acetyl, aroyl, C1-4 alkoxy, which may optionally be partially or fully halogenated, halogen, methoxycarbonyl, phenylsulfonyl and -SO₂-CF₃;

n is 1-4;

R^a and R^b are each independently chosen from hydrogen, C1-5 alkyl, C2-5 alkenyl, C2-5 alkynyl, C3-8 cycloalkylC0-2 alkyl, aryl, C1-5 alkoxy, C1-5 alkylthio, amino, C1-5 alkylamino, C1-5 dialkylamino, C1-5 acyl, C1-5 alkoxycarbonyl, C1-5 acyloxy, C1-5 acylamino, C1-5 sulphonylamino, hydroxy, halogen, trifluoromethyl, nitro and nitrile;

R₇ is hydrogen;

and each X is O.

Claim 3 (original): The compound according to claim 2 wherein

 R_5 is chosen from -O-, -S-, -NH-, C(O), a linear chain chosen from -NH(CR₇R₈)_n-, -(CR₇R₈)_n-, -C(O)-O(CR₇R₈)_n-, -S(CR₇R₈)_n-, C(O)(CR₇R₈)_n- and -C(O)NH(CR₇R₈)_n-, wherein n is 1-3 and each of the aforementioned R₅ is further substituted by R^a.

Claim 4 (previously amended): The compound according to claim 3 wherein

Ar¹ is chosen from cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl and cycloheptyl, phenyl, naphthyl, tetrahydronaphthyl, indanyl and indenyl,

 R^1 is NO_2 , NH_2 , C1-3acylNH- or the formula: J- $S(O)_m$ - $N(R^c)$ -;

J is C1-10 alkyl;

R₂ is independently chosen from C1-6 alkyl which may optionally be partially or fully halogenated and C1-3 alkoxy, which may optionally be partially or fully halogenated;

R₃ and R₄ are each independently chosen from hydrogen, C1-3 alkyl and chloro;

R₆ is chosen from hydrogen and amino;

 R_5 is: -NH-, C(O), a linear chain chosen from -NH(CR₇R₈)_n-, -(CR₇R₈)_n-, -O(CR₇R₈)_n-, -O(CR₇R₈)_n-, -O(CR₇R₈)_n-, and -C(O)NH(CR₇R₈)_n- wherein n is 1-2 and each of the aforementioned R_5 is further substituted by R^a .

R^a and R^b are each independently chosen from hydrogen, C1-5 alkyl, C3-7 cycloalkylC0-2 alkyl, aryl, C1-5 alkoxy, amino, C1-5 alkylamino, C1-3 dialkylamino, C1-3 acyl, C1-5 alkoxycarbonyl, C1-3 acyloxy, C1-3 acylamino, C1-3 sulphonylamino, hydroxy, halogen, trifluoromethyl, nitro and nitrile.

Claim 5 (previously amended): The compound according to claim 4 wherein

Arl is

$$\mathbb{R}^1$$
 \mathbb{R}^2

R1 is the formula:

J-S(O)2-NH-;

J is C1-5 alkyl;

R₂ is independently chosen from C1-5 alkyl which may optionally be partially or fully halogenated and C1-2 alkoxy, which may optionally be partially or fully halogenated;

R₃ is hydrogen;

R4 is chosen from hydrogen and methyl;

R₈ is chosen from hydrogen, methyl, ethyl, CH₂OH and CH₂OCH₃.

Claim 6 (previously amended): The compound according to claim 5 wherein

R^a is chosen from hydrogen, C1-5 alkyl, C3-6 cycloalkyl, phenyl, C1-5 alkoxy, C1-5 alkoxycarbonyl, C1-3 acyloxy, C1-3 acyloxy, hydroxyl and halogen.

Claim 7 (previously amended): The compound according to claim 6 wherein

Arl is

 R_5 is -NH(CR₇R₈)_n-R^a, wherein R^a is chosen from phenyl, cyclopropyl, cyclohexyl, C1-5 alkyl and C1-3 alkoxy.

Claim 8 (previously amended): A compound chosen from

1-[5-(3-Methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid methyl ester

1-[5-(5-tert-Butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-phenyl-ethyl)-amide

- 1-[5-(5-tert-Butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid benzylamide
- 1-[5-(5-tert-Butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid methyl ester
- 1-[3-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid ((R)-1-phenyl-ethyl)-amide
- 1-[3-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid benzylamide
- 1-[3-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2,3-dimethyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid benzylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2,3-dimethyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid methyl ester
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-phenyl-ethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-phenyl-propyl)-amide

- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1H-1,2,3-triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ethyl ester
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1H-1,2,3-triazole-4-carboxylic acid methyl ester
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-fluoro-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid benzylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-fluoro-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-3-fluoro-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methancsulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1,2,2-trimethyl-propyl)-amide
- 1-{5-[3-Methanesulfonylamino-2-methoxy-5-(2,2,2-trifluoro-1-trifluoromethyl-ethyl)-phenylcarbamoyl]-2-methyl-phenyl}-1H-[1,2,3]triazole-4-carboxylic acid ((R)-1-phenyl-ethyl)-amide

- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-cyclohexylethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((S)-1,2,2-trimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((S)-1-cyclohexylethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((S)-1-phenyl-ethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((S)-2-dimethylamino-1-phenyl-ethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid ((R)-3-dimethylamino-1-phenyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((S)-2-methoxy-1-phenyl-ethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid (1-methyl-1-phenyl-ethyl)-amide

- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 1-[5-(3-Amino-5-tert-butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 1-{5-[3-Methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenylcarbamoyl]-2-methyl-phenyl}-1H-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid (2-dimethylamino-ethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2-hydroxy-2-methyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid (2-dimethylamino-2-methyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid 3-methyl-benzylamide

- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid benzylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid phenylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid p-tolylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid m-tolylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid o-tolylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid benzyl-methyl-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid ((S)-2-dimethylamino-1-phenyl-ethyl)-methyl-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid cyclohexylmethyl-amide

- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid cyclopentylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid cyclopentylmethylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid cyclopropylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid cyclopropylmethylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ethyl ester
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid methyl ester
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid methylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid tert-butylamide
- 1-{5-[3-Methanesulfonylamino-2-methoxy-5-(2,2,2-trifluoro-1-trifluoromethyl-ethyl)-phenylcarbamoyl]-2-methyl-phenyl}-1H-1,2,3-triazole-4-carboxylic acid ethyl ester

- 3-(4-Benzoyl-1,2,3-triazol-1-yl)-N-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-4-methyl-benzamide
- 3-{1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carbonyl}-benzoic acid methyl ester
- 5-Amino-1-[5-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-phenyl-ethyl)-amide
- 5-Amino-1-[5-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 5-Amino-1-[5-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid ((S)-1,2,2-trimethyl-propyl)-amide
- 5-Amino-1-[5-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide
- 5-Amino-1-[5-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid methyl ester
- N-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-(4-cyclohexanecarbonyl-1,2,3-triazol-1-yl)-4-methyl-benzamide
- N-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-[4-((S)-3-hydroxy-2-phenyl-propionyl)-1,2,3-triazol-1-yl]-4-methyl-benzamide

N-(5-tert-Butyl-3-methanesulfonylamino-2-<math>methoxy-phenyl)-3-[4-(2,6-dichloro-benzoyl)-1,2,3-triazol-1-yl]-4-methyl-benzamide

N-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-[4-(2,6-dimethyl-benzoyl)-1,2,3-triazol-1-yl]-4-methyl-benzamide

N-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-4-methyl-3-[4-((R)-2-phenyl-propionyl)-1,2,3-triazol-1-yl]-benzamide and

N-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-4-methyl-3-[4-(2-methyl-benzoyl)-1,2,3-triazol-1-yl]-benzamide

or the pharmaceutically acceptable salts, acids, esters or isomers thereof.

Claim 9 (previously amended): A compound chosen from

1-[5-(5-tert-Butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-phenyl-ethyl)-amide

1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-phenyl-ethyl)-amide

1-[5-(5-tert-Butyl-3-methancsulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-phenyl-propyl)-amide

- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1,2,2-trimethyl-propyl)-amide
- 1-[5-(3-Amino-5-tert-butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 1-{5-[3-Methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenylcarbamoyl]-2-methyl-phenyl}-1H-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-cyclohexylethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((R)-1-phenyl-propyl)-amide
- 1-{5-[3-Methanesulfonylamino-2-methoxy-5-(2,2,2-trifluoro-1-trifluoromethyl-ethyl)-phenylcarbamoyl]-2-methyl-phenyl}-1H-[1,2,3]triazole-4-carboxylic acid ((R)-1-phenyl-ethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((S)-2-methoxy-1-phenyl-ethyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid (2-hydroxy-2-methyl-propyl)-amide

- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid cyclohexylmethyl-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid cyclopentylamide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid cyclopentylmethylamide
- 5-Amino-1-[5-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1<math>H-1,2,3-triazole-4-carboxylic acid ((R)-1-phenyl-ethyl)-amide
- 5-Amino-1-[5-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide
- 5-Amino-1-[5-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid ((S)-1,2,2-trimethyl-propyl)-amide
- 5-Amino-1-[5-(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide
- 1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-[1,2,3]triazole-4-carboxylic acid o-tolylamide

N-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-(4-cyclohexanecarbonyl-1,2,3-triazol-1-yl)-4-methyl-benzamide

N-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-[4-((S)-3-hydroxy-2-phenyl-propionyl)-1,2,3-triazol-1-yl]-4-methyl-benzamide

N-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-4-methyl-3-[4-((R)-2-phenyl-propionyl)-1,2,3-triazol-1-yl]-benzamide and

1-[5-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1H-1,2,3-triazole-4-carboxylic acid ((S)-2-dimethylamino-1-phenyl-ethyl)-amide

or the pharmaceutically acceptable salts, acids, esters or isomers thereof.

Claim 10 (withdrawn - currently amended): A method of treating a disease or condition chosen from:

osteoarthritis, atherosclerosis, contact dermatitis, bone resorption diseases, reperfusion injury, asthma, multiple sclerosis, Guillain-Barre syndrome, Crohn's disease, ulcerative colitis, psoriasis, graft versus host disease, systemic lupus erythematosus and insulindependent diabetes mellitus, rheumatoid arthritis, toxic shock syndrome, Alzheimer's disease, diabetes, inflammatory bowel diseases, acute and chronic pain, stroke, myocardial infarction, alone or following thrombolytic thorapy, thermal injury, adult respiratory distress syndrome (ARDS), multiple organ injury secondary to trauma, acute glomerulonephritis, dermatoses with acute inflammatory components, acute purulent meningitis, syndromes—associated with—hemodialysis, loukopherisis, granulocyte transfusion—associated syndromes, necrotizing enterocolitis, complications—including restenosis following percutaneous transluminal coronary angioplasty, traumatic arthritis, sepsis, chronic obstructive pulmonary disease and congestive heart failure said method

comprising administering to a patient a pharmaceutically effective amount of a compound according to claim 1.

Claim 11 (cancelled).

Claim 12 (withdrawn): A process of making a compound of the formula:

 $I(R_5 = -NHR^a)$

wherein Ar₁, R3, R4 and R^a are as defined in claim 1 and R₅ is -NHR^a; said process comprising:

reacting a 3-aminobenzoic acid (II) with NaNO₂ in an aqueous acid at about 0 °C; reacting the formed diazonium salt *in situ* with a cold aqueous solution of NaN₃ at about 0 °C to provide the azide III:

reacting the azide III with an alkyne ester IVa in a suitable solvent at about 100 °C to 120 °C, or with a copper catalyst to provide triazole Va and its regioisomer:

coupling under suitable conditions the intermediate Va and Ar_1NH_2 intermediate to produce the ester of formula I (R_5 is $-OR^a$):

HO
$$R_4$$

R4

Va

 $R_5 = -OR^9$
 $R_5 = -OR^9$

hydrolyzing the ester of formula I with aqueous base in a suitable solvent to provide the carboxylic acid of formula I ($R_5 = -OH$):

coupling the carboxylic acid of formula I with amine R^aNH_2 under suitable coupling conditions to provide the product compound of formula I ($R_5 = -NHR^a$):

Claim 13 (original): A pharmaceutical composition containing a pharmaceutically effective amount of a compound according to claim 1 and one or more pharmaceutically acceptable carriers and/or adjuvants.

Claim 14 (previously presented): The compound according to claim 5 and wherein: R^4 is methyl;

R^a is chosen from hydrogen, C1-5 alkyl, C3-6 cycloalkylC0-2 alkyl, phenyl, C1-5 alkoxy, amino, C1-5 alkylamino, C1-3 dialkylamino, C1-3 acyl, C1-5 alkoxycarbonyl, C1-3 acyloxy, C1-3 acyloxy, C1-3 acylamino, hydroxyl and halogen.